



Your Reliable and Trustworthy Surplus Equipment Market Partner... Worldwide

Electroglas EG4090 μ Tri-temp Prober (JAD-37230)

Make:	Electroglas
Model:	EG4090μ
Quantity:	1
Vintage:	2002
Inspection:	Yes

Configuration:

System Model: Electroglas 4090u Tri-temp
Operating System: DOS 6.22
Prober Software: Commander 7.3.8-0025a
Monitor Type: 10" Flat
Ring Carrier: Low Profile (Overhead)
DCM Type: 4
A14 Type: B
Vision Module Firmware: 272633
Vision Module: Micro
OWS Type: Standard
Chuck Top: Temptronic Gold Tri-temp -60 to 200
OCR Style: Electroglas
DPS Camera: Yes
CPCS II: Yes
Probe Tip Cleaning: Yes
Power Requirement: 115VAC
Air Requirement: 80-psi
Vacuum Requirement: 24" Hg

- * Profiler.....Air yes
- * Wafer Cassette Auto Loader....Yes
- * Prober indexing accuracy
 - X....+/- 4 μ m
 - Y....+/- 4 μ m
 - Z.....0.25mil
- * Resolution
 - X.....0.01 mils
 - Y.....0.01 mils
 - Z.....000917°
- * Z-stage.....PZ-9
 - Z-stage resolution .25mil
- * Probe Tip Cleaning.....Auto
- * Ring carrier plate RC-2....Yes
- * PTPAYes

- * PMI.....Yes
- * CPCS.....Yes
- * OS version.....Dos 6.22
- * Hardware...LCD touch screen monitor...Yes
- * Tester Interface
 - RS232C...Yes
 - TTL.....Yes
 - GPIB IEEE488
- * Network Interfaces
 - Ethernet
 - IEEE
- * Probe card handler RGTR-2 - NO
- * Material Handler Fully Automatic closed looped robot – yes





JAD Group, Inc,
www.jadgrp.com

888 E. Belvidere RD, Suite 213 Grayslake, IL 60030 USA
Telephone: +1-847-223-1804